



BRAKES

ITEM	PART NUMBER	QTY.	DESCRIPTION	KIT NUMBER
1	076428	2	BAND ASSEMBLY, lower half (Includes LINING)	
	-----	2	LINING, lower band (woven type, 21" long)(Used on tractors prior to #15994. Order LINING KIT 076552)	
	911097	28	RIVET, tubular, brass, flat-hd., 3/16" x 3/8"	
	911098	4	RIVET, tubular, brass, flat-hd., 3/16" x 9/16"	
2	076435	4	LINING, lower band (moulded type, 10" long)(Started with tractors #15994)	076552
	911097	36	RIVET, tubular, brass, flat-hd., 3/16" x 3/8"	076552
	911098	4	RIVET, tubular, brass, flat-hd., 3/16" x 9/16"	076552
3	050325	2	PIN, band hinge	
	900805	4	PIN, cotter, 1/8" x 3/4"	
4	058614	4	WASHER, band hinge pin	
5	076427	2	BAND ASSEMBLY, upper half (Includes LINING)	
	-----	2	LINING, upper band (woven type, 19-1/2" long)(Used on tractors prior to #15994. Order LINING KIT 076552)	
	911097	22	RIVET, tubular, brass, flat-hd., 3/16" x 3/8"	
	911098	4	RIVET, tubular, brass, flat-hd., 3/16" x 9/16"	
6	076434	4	LINING, upper band (moulded type, 9-7/8" long)(Started with tractor #15994)	076552
	911097	28	RIVET, tubular, brass, flat-hd., 3/16" x 3/8"	076552
	911098	4	RIVET, tubular, brass, flat-hd., 3/16" x 9/16"	076552

NOTE: Items 7 thru 10 were not separately serviceable on tractors prior to serial No. 20096, being an integral part of a welded adjuster assembly. All of these items must be used when replacing the original welded adjuster assembly.

7	079013	2	ADJUSTER, brake band	
	916227	2	PIN, roll, 1/4" x 1"	
8	079230	2	BLOCK, adjuster spring	
9	079203	2	SPRING, adjuster	
10	079229	2	WASHER, adjuster spring	
11	050326	4	PIN, band end	
12	050328	2	FORK, band adjustment	
13	050323	2	BELLCRANK ASSEMBLY (Includes item 14)	
14	049988	2	BUSHING, bellcrank (steel)	
15	050313	2	BRACKET, bellcrank	
16	035892	2	CAPSCREW, 1/2"NF x 2-1/2"	
17	035068	6	CAPSCREW, 1/2"NF x 2-1/4"	
	904208	6	LOCKWASHER, 1/2"	
	911043	8	NUT, 1/2"NF	
18	068267	2	CLIP, parking brake lock spring	
	913830	2	NUT, jam, 1/2"NF	
	910244	2	WASHER, plain, SAE std., 1/2"	
19	072438	2	SPRING, parking brake lock	
20	050316	2	LOCK, parking brake	
	903774	2	CAPSCREW, 5/16"NC x 2"	
	906652	2	NUT, jam, 5/16"NC	
21	033074	2	PIN, parking brake lock	
	910967	2	PIN, cotter, 1/8" x 7/8"	
22	050315	2	BRACKET, parking brake lock	
23	035018	4	CAPSCREW, 1/2"NF x 1-1/2"	
	904208	4	LOCKWASHER, 1/2"	

(Continued)

BRAKES (Continued)

ITEM	PART NUMBER	QTY.	DESCRIPTION	KIT NUMBER
24	051288	2	BAR, locking, parking brake	
25	049993 900805	2	PIN, parking brake locking bar PIN, cotter, 1/8" x 3/4"	
26	050434	2	PAD, pedal	
27	050433 911044 904209	2 2 2	BOLT, eye, pedal pad NUT, 5/8"NF LOCKWASHER, 5/8"	
28	052409 052410	1 1	PEDAL ASSEMBLY, left brake (Includes items 30 and 32) PEDAL ASSEMBLY, right brake (Includes items 30 and 32)	
29	054182	2	RING, snap, pedal shaft	
30	034514	4	BUSHING, pedal (bronze)	
31	054158 911159 915276	2 2 2	SHAFT, pedal WASHER, plain, SAE std., 1" FITTING, lubricating, 90°, 1/8"NPPT	
32	049988	2	BUSHING, pedal (steel)	
33	068389	2	YOKE, operating rod	
34	049993 900805	4 4	PIN, brake operating rod PIN, cotter, 1/8" x 3/4"	
35	079742	2	CLIP, pedal spring	
36	070343	2	SPRING, pedal retracting	
37	068361 911043	2 2	ROD, brake operating NUT, 1/2"NF	
38	078908	2	BOOT, brake operating rod (rubber)	
39	050268 911028	2 2	SCREW, band supporting (hex-hd., 1/2"NC x 3-1/4") NUT, 1/2"NC	
40	049991	8	BUSHING, operating rod yoke (steel)(Tractors prior to #7144)	

PAINTING AND MARKING
(Not Illustrated)

1	914932	-	ENAMEL, persian orange, quart can	} For spraying. Approximate requirements: 3-1/4 gal. for HD5G; 2-1/4 gal. for other Models.
2	914966	-	ENAMEL, persian orange, gallon can	
3	914933	-	ENAMEL, persian orange, quart can	
4	914967	-	ENAMEL, persian orange, gallon can	} For brushing
5	915884	-	ENAMEL, persian orange, 12 ounce pressurized spray-type can (For touch-up)	
NOTE: All plates and transfers listed below are English language printings unless otherwise indicated.				
6	050761	1	PLATE, general instructions (7" x 7-1/2")(Attached to lower right side of dash)	
	074583	1	PLATE, general instructions (Spanish translation, 7" x 7-1/2") (Attached to lower right side of dash)	
7	069407	1	SCREW, thread-cutting, cross-recessed-hd., #8 x 1/2"	
		4	*TRANSFER, instruction, engine primer (1-3/4" x 6")(Applied to dash) 061486	

(Continued)